

## **AMENDMENTS TO THE CLAIMS:**

1. (Currently Amended) A skin of a seat for a vehicle, comprising a skin body  $[(1)]$  made of a synthetic resin, and an infrared-ray reflective pigment  $[(7)]$  dispersed in said skin body  $[(1)]$ , wherein when the amount of synthetic resin mixed for forming the skin body  $[(1)]$  is defined as 100 parts, the amount of infrared-ray reflective pigment  $[(7)]$  mixed is in a range from 0.3 parts to 10 parts and the surface of said skin is a sueded, roughened surface having pluralities of recesses and projections  $[(4, 5)]$  dispersed therein, and the height  $[(h)]$  of the projections  $[(5)]$  is in a range of  $0.05 \text{ mm} \leq h \leq 0.35 \text{ mm}$ .

Claims 2-5 (Cancelled)

6. (Currently Amended) A skin of a seat for a vehicle, comprising an upper layer  $[(8)]$  and a lower layer  $[(9)]$  affixed to said upper layer  $[(8)]$ , said upper layer  $[(8)]$  having an upper layer body  $[(11)]$  made of a synthetic resin, and an infrared-ray reflective pigment  $[(7)]$  dispersed in said upper layer body  $[(11)]$ , said lower layer  $[(9)]$  being affixed to a base knitted-fabric  $[(3)]$  and having a lower layer body  $[(12)]$  made of a synthetic resin, and carbon black  $[(13)]$  dispersed in said lower layer body  $[(12)]$ , wherein the amount of synthetic resin mixed for forming said upper layer body  $[(11)]$  is defined as 100 parts, the amount of infrared-ray reflective pigment  $[(7)]$  is in a range from 0.3 parts to 10 parts, and the surface of said upper layer  $[(8)]$  is a sueded, roughened surface having pluralities of recesses and projections  $[(4, 5)]$ , and the height  $[(h)]$  of the projections  $[(5)]$  is in a range of  $0.05 \text{ mm} \leq h \leq 0.35 \text{ mm}$ .

Claims 7-12 (Cancelled)

13. (Currently Amended) A skin of a seat for a vehicle according to Claim 1 in which the resin is polyvinyl chloride and is present in the amount of about 100 parts, phthalate plasticizer is present in about 72 parts, phosphate-based plasticizer is present in about 7 parts, amine-based stabilizer is present in about 0.4 parts and Ba-Zn based stabilizer is present in about 3 parts.

14. (New) The skin of a seat for a vehicle according to claim 1, wherein the skin further comprises a base knitted fabric affixed to a back surface thereof, with an adhesive layer interposed therebetween.

15. (New) The skin of a seat for a vehicle according to claim 6, wherein the synthetic resin comprises a foamed polyvinyl chloride.